	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	Sheet1_e.wst								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6	mber of Bootstrap Operations			2000								
7												
8												
9	Result_Value (1,3-dichlorobenzene_ug/kg)											
10												
11						General Statistics						
12			Number of Valid Data			3			Number of Detected Data			0
13		Number of Distinct Detected Data				0			Number of Non-Detect Data			3
14									Percent Non-Detects			100.00%
15												
16					Warning: This data set only has 3 observations!							
17				Data set is too small to compute reliable and meaningful statistics and estimates!								
18				The data set for variable Result_Value (1,3-dichlorobenzene_ug/kg) was not processed!								
19												
20			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
21			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
22												
23												
24												
25	Result_Value (1,4-dichlorobenzene_ug/kg)											
26												
27						General Statistics						
28			Number of Valid Data			1			Number of Detected Data			0
29		Number of Distinct Detected Data				0			Number of Non-Detect Data			1
30									Percent Non-Detects			100.00%
31												
32					Warning: This data set only has 1 observations!							
33				Data set is too small to compute reliable and meaningful statistics and estimates!								
34				The data set for variable Result_Value (1,4-dichlorobenzene_ug/kg) was not processed!								
35												
36			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
37			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
38												
39												
40												
41	Result_Value (hexachlorobenzene_ug/kg)											
42												
43						General Statistics						
44			Number of Valid Observations	3					Number of Distinct Observations	3		
45												
46												
47					Warning: This data set only has 3 observations!							
48				Data set is too small to compute reliable and meaningful statistics and estimates!								
49				The data set for variable Result_Value (hexachlorobenzene_ug/kg) was not processed!								
50												
51			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
52			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
53												
54												
55												
56	Result_Value (hexachlorobutadiene_ug/kg)											
57												
58						General Statistics						
59			Number of Valid Data			1			Number of Detected Data			0
60		Number of Distinct Detected Data				0			Number of Non-Detect Data			1
61									Percent Non-Detects			100.00%
62												
63					Warning: This data set only has 1 observations!							
64				Data set is too small to compute reliable and meaningful statistics and estimates!								
65				The data set for variable Result_Value (hexachlorobutadiene_ug/kg) was not processed!								
66												
67			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
68			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
69												
70												
71												
72	Result_Value (lead_mg/kg)											
73												

	A	B	C	D	E	F	G	H	I	J	K	L
74	General Statistics											
75	Number of Valid Observations					1		Number of Distinct Observations			1	
76												
77												
78	Warning: This data set only has 1 observations!											
79	Data set is too small to compute reliable and meaningful statistics and estimates!											
80	The data set for variable Result_Value (lead_mg/kg) was not processed!											
81												
82	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
83	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
84												
85												
86												
87	Result_Value (mercury_mg/kg)											
88												
89	General Statistics											
90	Number of Valid Observations					3		Number of Distinct Observations			3	
91												
92												
93	Warning: This data set only has 3 observations!											
94	Data set is too small to compute reliable and meaningful statistics and estimates!											
95	The data set for variable Result_Value (mercury_mg/kg) was not processed!											
96												
97	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
98	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
99												
100												
101												
102	Result_Value (total dioxin/furan teq 1998 (avian) (u = 1/2)_ng/kg)											
103												
104	General Statistics											
105	Number of Valid Observations					3		Number of Distinct Observations			3	
106												
107												
108	Warning: This data set only has 3 observations!											
109	Data set is too small to compute reliable and meaningful statistics and estimates!											
110	The data set for variable Result_Value (total dioxin/furan teq 1998 (avian) (u = 1/2)_ng/kg) was not processed!											
111												
112	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
113	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
114												
115												
116												
117	Result_Value (total pah (16) (u = 1/2)_ug/kg)											
118												
119	General Statistics											
120	Number of Valid Observations					1		Number of Distinct Observations			1	
121												
122												
123	Warning: This data set only has 1 observations!											
124	Data set is too small to compute reliable and meaningful statistics and estimates!											
125	The data set for variable Result_Value (total pah (16) (u = 1/2)_ug/kg) was not processed!											
126												
127	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
128	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
129												
130												
131												
132	Result_Value (total pcb congener (u = 1/2)_ng/kg)											
133												
134	General Statistics											
135	Number of Valid Observations					3		Number of Distinct Observations			3	
136												
137												
138	Warning: This data set only has 3 observations!											
139	Data set is too small to compute reliable and meaningful statistics and estimates!											
140	The data set for variable Result_Value (total pcb congener (u = 1/2)_ng/kg) was not processed!											
141												
142	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
143	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
144												
145												
146												

Result_Value (total pcb congener teq 1998 (avian) (u = 1/2)_ng/kg)

General Statistics

Number of Valid Observations	3	Number of Distinct Observations	3

Warning: This data set only has 3 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable Result_Value (total pcb congener teq 1998 (avian) (u = 1/2)_ng/kg) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Result_Value (total pcb congener teq 2005 (mammal) (u = 1/2)_ng/kg)

General Statistics

Number of Valid Observations	3	Number of Distinct Observations	3

Warning: This data set only has 3 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable Result_Value (total pcb congener teq 2005 (mammal) (u = 1/2)_ng/kg) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.